



## **Contents**

<b>D</b> •	
<b>Drive-Away</b>	/ Awnings
DIIVE AWAY	/ Avviiiiigə

Sprint AIR	5
Touring AIR TC   Touring AIR	6
Cross AIR   Cross AIR TG	8
Tailgater AIR   Tailgater	10
Action AIR   Action   Trip AIR   Trip	.12
Inflatable Camping Tents	
Studland 8 AIR	15

Croyde 6 AIR TC | Croyde 6 AIR ...... 16

Hayling 4 AIR TC | Hayling 6 AIR | Hayling 4 AIR ....... 18

### Dolod Compine Toute

Poled Camping Tents	Melamine Sets42
Croyde 623	Mug Sets and Acrylic Glassware43
Watergate 8   Hayling 4   Hayling 624	Trucker Trolley and Lighting44
Brean 3   Brean 4   Mersea 3   Mersea 426	Sanitary45
Brighton 2   Brighton 3   Brighton 4   Brighton 528	Cleaning46

## **Shelters and Windbreaks**

Shelters	30
Windbreaks and Toilet Tents	31
<b>Awning and Tent Specific Accessories</b>	
Canopies	33
Carpet and Flooring	34
Accessories	
Field Kitchens	36
Stoves and Hobs	37
Chairs	38
Storage	40
Tables	41
Melamine Sets	42
Mug Sets and Acrylic Glassware	43
Trucker Trolley and Lighting	44
Sanitary	45



#### **Multi-Point Inflation**

Indicates how many AIR Poles are inflated individually for the simplest set-up and take-down



#### Weathershield™ TC

All the protection of polyester materials with superior comfort. High quality Weathershield™ TC polycotton material allows the tent to breathe, reducing condensation and helping to regulate the interior temperature on hot days.



#### **Cable Entry Points**

For added convenience, all awnings have zipped cable entry points for 12V and mains cable access.



#### Weathershield™ 68D

Super lightweight Weathershield<sup>™</sup> 68D offers the fastest set-up, take-down, and a smallest tent pack sizes. Highly weather-resistant, this easy to handle polyester offers exceptional value and protection against UV degradation.




#### SabreLink™ Ready

Attach up to three lights in the living area. Switch the lights on/off and adjust the brightness remotely.



#### Weathershield™ 63D

Featherweight Weathershield™ 63D offers ultracompact tent pack sizes and is the easiest to handle. High quality polyester provides market leading value and advanced protection against the elements.



## **Sprint AIR**

New

### Seize the moment

Park up and add shelter outside your campervan in minutes. The Sprint AIR features lightweight Weathershield 68D material and a reliable Kampa AIR Frame. A compact living space is made roomier with the generously sized wet weather entrance.











Drive-Away Awning

Width: 2800 mmDepth: 1550 mm

Tunnel width: 2800 mm
Tunnel depth: 900 mm


• Connection Height: 1800 - 2100 mm


• Height at front: 2000 mm

• Weight: 12.08 kg

• Pack Size: 720 x 320 x 300 mm

Ref. No. 9120001999







#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof

#### **Multi-point inflation**

Durable AIR Poles are inflated individually for the simplest set-up and take-down.



#### **Wet Weather Entrance**

Provides sheltered access to the awning and prevents rain running in when you unzip the door.



#### **Dual Keder**

4 mm and 6 mm keder suitable for campervan and motorhome cassette awnings and awning rail.



# **Touring AIR TC**

### For big adventures

Pitch up and stay beside your camper with the Kampa Touring AIR TC drive-away awning. The breathable polycotton fabric reduces condensation and provides excellent comfort in any weather. Inside the awning, you'll find a spacious living area packed with useful features. A mesh front door leads out to an integrated inflatable canopy, perfect for relaxing and prepping meals. Available in a left-hand (L/H) and right-hand (R/H) configuration.

#### **Touring AIR TC**

Drive-Away Awning

Width: 6100 mmDepth: 2800 mm


6-- kampaoutdoors.com

Tunnel width: 2900 mmTunnel depth: 900 mm

• Connection Height: 1800 - 2100 mm

• Height at front: 2100 mm

Weight: 29.45 kgPack Size: 740 x 480 x 450 mm





Weathershield™ TC
Polycotton material
reduces condensation
and regulates the
interior temperature















## **Touring AIR**

### Home away from home

Designed to sit alongside your camper van, the Kampa Touring AIR provides the maximum amount of space without extending beyond your pitch. Inside you'll find a spacious living area, fullheight windows, plenty of mesh ventilation and a large four berth inner tent, all supplied as standard. Available in a left-hand (L/H) and right-hand (R/H) configuration.

#### **Touring AIR**

Drive-Away Awning

• Width: 6100 mm • Depth: 2800 mm


• Tunnel width: 2900 mm • Tunnel depth: 900 mm

• Connection Height: 1800 - 2100 mm

• Height at front: 2100 mm

• Weight: 22.19kg

Pack Size: 780 x 410 x 410 mm





Weathershield™ 68D Super lightweight 68D polyester is easy to handle, durable and waterproof









## **LH Model** RH Model





**Multi-Point Inflation** 

Durable AIR Poles are inflated individually for the simplest set-up and take-down.

**Mesh Doors** 

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather.



Inner tents use dark materials to block out early morning sunlight for a good night's sleep.



## **Cross AIR**

### Stay in comfort

Utilizing the convenience of the innovative Kampa AIR Frame, Cross AIR's steep walls provide a spacious living area. The cleverly designed front panel incorporates a 'D' door that can be half or fully rolled back, while cover from a large canopy provides weather protected access. The Cross AIR comes with a clip-in groundsheet, windows with blinds for privacy, and a mesh panel on the front door.

#### **Cross AIR**

Drive-Away Awning

Width: 3000 mmDepth: 3000 mm


Tunnel width: 3000 mmTunnel depth: 900 mm


• Connection Height: 1800 - 2100 mm

• Height at front: 2400 mm

• Weight: 16.15 kg

• Pack Size: 760 x 350 x 350 mm







Ref. No. 9120001242









Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof







## **Cross AIR TG**

### **Equipped for adventure**

The Cross AIR TG is pitched at the rear of your campervan, allowing the living area of the van to flow smoothly into the awning. The innovative Weathershield 68D material ensures weight and pack size is kept to a minimum, while the sturdy Multi-Point Inflation AIR Frame ensures a quick set-up and take-down.











Drive-Away Awning

Width: 2700 mmDepth: 2700 mm


Tunnel width: 2700 mm
Tunnel depth: 1500 mm

• Connection Height: 1800 - 2100 mm

• Height at front: 2400 mm

• Weight: 15.2 kg

• Pack Size: 760 x 350 x 350 mm





Weathershield™ 68D Super lightweight 68D polyester is easy to handle, durable and waterproof





**Multi-Point Inflation**Durable AIR Poles are inflated individually for the simplest set-up and take-down.



Wet Weather Entrance
Provides sheltered access to the tent and
prevents rain running in when you unzip the door.



**Zip-Out Panels**Both side panels can be zipped out to reduce weight and to open the awning up veranda style.



## Tailgater AIR

#### Hit the road

Benefiting from the convenient multi-point inflation Kampa AIR Frame, Tailgater AIR is guick to set up and completely free-standing. The awning is ideal for family SUVs and when packed away, fits easily in almost all car trunks. Simply detach the Tailgater AIR from your vehicle and leave it to reserve your pitch while you drive to your next activity.


#### **Tailgater AIR**

Drive-Away Awning

- Width: 3050 mm
- Depth: 2150 mm
- Connection width: 1600-2200 mm
- Connection Height: 1600 2100 mm
- Height at front: 2150 mm
- Weight: 12.75 kg
- Pack Size: 700 x 350 x 350 mm

Ref. No. 9120001230

#### **Optional Inner Tent** Ref. No. 9120001306













Weathershield™ 68D Super lightweight 68D polyester is easy to handle, durable and waterproof.



**Multi-Point Inflation** Durable AIR Poles are inflated individually for the simplest set-up and take-down.





**Wet Weather Entrance** 



## **Tailgater**

### **Designed for the outdoors**

A universal fit awning for vehicles with a rear tailgate such as SUVs, MPVs, crossovers, large estate cars and pick-up trucks fitted with a hardtop. Weathershield™ 68D material ensures lasting durability and easy handling. Simply clip-in the optional two-berth inner tent to accommodate guests. Easy to attach and disconnect, conveniently zip close the Tailgater while you go out and explore.

#### **Tailgater**


Drive-Away Awning

- Width: 2400 mmDepth: 2400 mm
- Connection width: 1600-2200 mm
- Connection Height: 1600 2100 mm
- Height at front: 2250 mm
- Weight: 11.15 kg
- Pack Size: 690 x 250 x 230 mm

Ref. No. 9120001231

#### **Optional Inner Tent** Ref. No. 9120001249











Weathershield™ 68D
Super lightweight 68D polyester is easy to handle, durable and waterproof.



**Fibreglass Frame**Durable fibreglass poles are simple to set up and greatly reduce the net weight of the tent.





Wet Weather Entrance

Provides sheltered access to the tent and prevents rain running in when you unzip the door

## **Action**

#### **Embrace the outdoors**

Ideal for campers who are always on the go. The Action is a free-standing awning allowing you to drive-away while still reserving your pitch on site. Boasting a spacious living area and full-height windows with privacy blinds, the awning comes with a fully waterproof clip-in groundsheet and a large protective canopy. Fibreglass and AIR Frame models are available.



















#### Action AIR

Drive-Away Awning

- Width: 2900 mmDepth: 2700 mm
- Tunnel width: 2900 mmTunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 14.83 kg
- Pack Size: 680 x 360 x 340 mm

Ref. No. 9120001238







#### **Action**

Drive-Away Awning

- Width: 2900 mmDepth: 2700 mm
- Tunnel width: 2900 mm
  Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 13.01 kg
- Pack Size: 720 x 300 x 270 mm

Ref. No. 9120001240







#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



#### **Wet Weather Entrance**

Provides sheltered access to the tent and prevents rain running in when you unzip the door.



#### **Mesh Front Door**

A large mesh panel behind the front door adds ventilation and comfort in hot weather.



### Pitch up

The Trip guarantees a fast set-up and take-down, even when touring solo. Packed with features including a large wet weather entrance, two full-height windows with roll down blinds and a generous roll-to-side front door. The connecting tunnel has a convenient side door for easy access. Fibreglass and AIR Frame models are available.



















#### **Trip AIR**

Drive-Away Awning

- Width: 2900 mm • Depth: 1800 mm
- Tunnel width: 2900 mm • Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 11.75 kg
- Pack Size: 720 x 320 x 320 mm

Ref. No. 9120001239





Drive-Away Awning

- Width: 2900 mm • Depth: 1800 mm
- Tunnel width: 2900 mm • Tunnel depth: 900 mm
- Connection Height: 1800 2100 mm
- Height at front: 2050 mm
- Weight: 9.95 kg
- Pack Size: 700 x 240 x 240 mm

Ref. No. 9120001241



#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.




#### **Mesh Front Door**

A large mesh panel behind the front door adds ventilation and comfort in hot weather.



#### Clip-In Groundsheet

Clip-in the groundsheet to add underfoot comfort and protect from inclement weather.



## Studland 8 AIR New

#### Feel at home outdoors

Constructed with durable Weathershield 68D material, the versatile Studland 8 AIR offers an easy set-up thanks to its Kampa AIR Frame. High-specification features include a multi-position front door which you can roll back to create a large sun canopy, or, in less favorable conditions, close off to maximize indoor living space.

#### **Studland 8 AIR**

Inflatable Tent

• Length: 8050 mm • Width: 4300 mm

• Height: 2250 mm / 1800 mm

• Weight: 34.2 kg

• Pack Size: 850 x 480 x 460 mm

#### Ref. No. 9120002016
















#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof





#### **Spacious interior**



#### **Wet Weather Entrance**



#### **Multi Position Front Door**



## Croyde 6 AIR TC

### Space for the whole family

The Croyde 6 AIR TC's spacious living area features full-height windows with front and side mesh panels and a large inner tent at the rear, which can be divided into three bedrooms. An integrated covered side entrance provides sheltered access to the tent. The durable Weathershield TC material reduces condensation and regulates the temperature to keep you comfortable in warm climates.

### Croyde 6 AIR TC


Inflatable Tent

Length: 7400 mmWidth: 4100 mm

• Height: 2100 mm / 1800 mm

• Weight: 37.23 kg

• Pack Size: 820 x 560 x 500 mm





Weathershield™ TC
Polycotton material reduces condensation
and regulates the interior temperature







## Croyde 6 AIR

### **Experience the great outdoors**

Constructed with durable Weathershield™ 150D material, the versatile Croyde 6 AIR offers a high level of specification with an easy set-up thanks to the Kampa AIR Frame. Roll back the multi-position front door to create a large sun canopy, or, in less favourable conditions, close it off to maximize indoor living space.

#### Croyde 6 AIR

Inflatable Tent


Length: 7400 mmWidth: 4100 mm

• Height: 2100 mm / 1800 mm

• Weight: 29.11 kg

• Pack Size: 850 x 460 x 460 mm

Ref. No. 9120001252





Weathershield™ 68D
Super lightweight 68D polyester is easy to handle, durable and waterproof



#### **Mesh Doors**

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather.

#### Wet Weather Entrance

Provides sheltered access to the tent and prevents rain running in when you unzip the door.

#### **Multi Position Front Door**

Adapt to suit the weather, simply zip and roll the front door back in 3 stages from fully open to closed.



## **Hayling 4 AIR TC**

### Stay in style

Breathable Weathershield™ Classic fabric reduces condensation and ensures the Hayling Classic AIR always keeps you comfortable. The large living area houses a flexible rear inner tent. Doors on the left-hand side and front panel benefit from zipped mesh screens, while the integral front canopy provides valuable outdoor living space.


### **Hayling 4 AIR TC** Inflatable Tent


Length: 6100 mmWidth: 2800 mm


• Height: 2100 mm / 1800mm

• Weight: 25.38 kg

• Pack Size: 740 x 480 x 430 mm







**Weathershield™ TC**Polycotton material reduces condensation and regulates the interior temperature















## **Hayling AIR**

### Immerse yourself in nature

Durable Weathershield 68D fabric and the latest AIR Frame technology ensure the Hayling AIR remains a family favourite. Doors on the left-hand side and front panel feature mesh screens to maintain airflow and the front canopy provides valuable outdoor living space. Low and high ventilation points and darkened bedrooms ensure you're comfortable whatever the weather.





















## **Hayling 4 AIR** Inflatable Tent

Length: 6100 mmWidth: 2800 mm


• Height: 2100 mm / 1800mm

• Weight: 19.69 kg

 Pack Size: 780 x 400 x 400 mm

Ref. No. 9120001254





## **Hayling 6 AIR** Inflatable Tent

Length: 6900 mmWidth: 3800 mm


• Height: 2100 mm / 1800mm


• Weight: 25.18 kg

• Pack Size:

800 x 440 x 440 mm

Ref. No. 9120001253







#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.

#### **Darkened Bedrooms**

Inner tents use dark materials to block out early morning sunlight for a good night's sleep.



#### **Mesh Doors**

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather.



## Brean 4 AIR TC New



### Stay comfortably

The Brean 4 AIR is the ideal touring tent. Convenient to set up thanks to its Kampa AIR Frame technology, it ensures reliable performance in all weather. Technical cotton regulates the breathability and comfort. Unzip the front door to reveal the mesh panel behind, an essential feature for keeping the interior temperature cool and reducing condensation.

#### **Brean 4 AIR TC**

Inflatable Tent


• Length: 3750 mm • Width: 2800 mm


• Height: 2000 mm / 1650 mm

• Weight: 20 kg

• Pack Size: 720 x 370 x 350 mm

Ref. No. 9120002015







Weathershield™ TC

Polycotton material reduces condensation and regulates the interior temperature















## **Brean AIR**

### Pitch in minutes

The Brean 3 and 4 AIR are ideal touring tents. Kampa AIR Frame technology's simple set up ensures reliable performance even in poor weather and the simplest set-up. Unzip the front D door to reveal the mesh panel behind, an essential feature for regulating the interior temperature and reducing condensation.





















#### **Brean 3 AIR**

Inflatable Tent


Length: 3650 mmWidth: 2150 mm


• Height: 1900 mm / 1550mm

• Weight: 13.78 kg

• Pack Size: 760 x 340 x 340 mm

Ref. No. 9120001256





### Brean 4 AIR

Inflatable Tent


Length: 3750 mmWidth: 2800 mm


• Height: 2000 mm / 1650 mm

• Weight: 15.68 kg

• Pack Size: 760 x 350 x 350 mm

Ref. No. 9120001255







#### **Mesh Doors**

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather



#### **Darkened Bedrooms**

Inner tents use dark materials to block out early morning sunlight for a good night's sleen



#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof



## Croyde 6

### **Exceptional family camping**

Easy to handle, the ultra-lightweight Weathershield™ 68D material offers exceptional value, is highly weather resistant and provides advanced protection against UV degradation. The spacious Croyde 6 features ventilated access to the front and left side, as well as a large 3 position front canopy door, perfect for enjoying the summer sun.

#### Croyde 6

Poled Tent


Length: 7400 mmWidth: 4100 mm

• Height: 2100 mm / 1800mm

• Weight: 30.03 kg

• Pack Size: 760 x 370 x 370 mm

Ref. No. 9120001257







#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



#### Wet Weather Entrance

Provides sheltered access to the tent and prevents rain running in when you unzip the door.



#### **Fibreglass Frame**

Durable fibreglass poles are simple to set up and greatly reduce the net weight of the tent.

## Watergate 8

#### Make the most of the outdoors

The light and airy Watergate has two large side doors, one covered with a protective wet weather canopy, featuring a secondary mesh panel and full-height windows. Enjoy impressive headroom throughout; you can even stand in the bedrooms. The rear panel ventilation and a fully sewn-in groundsheet keep you comfortable in wet conditions too.





#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



#### **Darkened Bedrooms**

Inner tents use dark materials to block out early morning sunlight for a good night's sleep.




#### **Mesh Ventilation**

High and low level vents ventilate the tent reducing condensation and improving comfort.

### Watergate 8 Poled Tent

- Length: 7000 mm
- Width: 2800 mmHeight: 2000 mm / 1740mm
- Weight: 22.57 kg
- Pack Size: 760 x 350 x 350 mm

Ref. No. 9120001258



## **Watergate Canopy**

This optional front canopy simply fixes onto the tent for additional living space and overhead cover. Protection from the elements enhances your comfort while camping with friends and family.

#### **Watergate Canopy**

- Length: 3000 mmWidth: 2600 mm
- Height: 2000 mm
- Weight: 7.95 kg
- Pack Size: 620 x 200 x 180 mm





The Hayling offers the perfect combination of features, quality and value. Its variable rear bedroom inner tent features multiple partitions and a darkened fabric to keep you comfortable at night. The left-hand side door includes a mesh panel to maintain airflow, while the large front canopy provides generous outdoor living space. Lightweight Dynaflex fibreglass poles offer great strength and durability for years of family camping trips.







## **Hayling 4**Poled Tent

- Length: 6100 mmWidth: 2800 mm
- Height: 2100 mm / 1800mm
- Weight: 17.6 kgPack Size:

Ref. No. 9120001260

720 x 310 x 310 mm






### **Hayling 6**Poled Tent

- Length: 6900 mmWidth: 3800 mm
- Height: 2100 mm / 1800mm
- Weight: 22.55 kg
- Pack Size: 760 x 350 x 350 mm

Ref. No. 9120001259





#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



#### **Mesh Doors**

Zipped mesh panels sit behind the left-hand side and front doors, adding comfort in hot weather.



#### **Darkened Bedrooms**

Inner tents use dark materials to block out early morning sunlight for a good night's sleep.

## **Brean**

### Ready for the next adventure





Ideal for touring and couples, the Brean offers ample headroom and an easy set-up. The fibreglass frame is both lightweight and durable, while the clever design ensures the Brean is compact yet practical — ready for your next adventure.







#### **Brean 3**

Poled Tent

- Length: 3650 mmWidth: 2150 mm
- Height: 1900 mm / 1550mm
- Weight: 11.75 kgPack Size:
- 690 x 270 x 250 mm

Ref. No. 9120001262







#### **Brean 4**

Poled Tent

- Length: 3750 mmWidth: 2800 mm
- Height: 2000 mm / 1650mm
- Weight: 14.37 kg
- Pack Size:
   690 x 290 x 270 mm

Ref. No. 9120001261







#### Weathershield™ 68D

Super lightweight 68D polyester is easy to handle, durable and waterproof.



Darkened Bedrooms

Inner tents use dark materials to block out early morning sunlight for a good night's sleep.



Fibreglass Frame

Durable fibreglass poles are simple to set up and greatly reduce the net weight of the tent.



### **Festival season**

The Mersea's lightweight Weathershield™ 63D construction offers the easiest handling and smallest pack size without compromising performance. Adjustable pegging points, tough fibreglass poles, high-visibility guy lines and weather protected ventilation combine to create the perfect festival tent.






#### Mersea 3

Poled Tent

- Length: 4300 mm
- Width: 2300 mm
- Height: 1100 mm / 1250mm
- Weight: 7.15 kg
- Pack Size:
   630 x 230 x 220 mm

Ref. No. 9120000234




#### Mersea 4

Poled Tent

- Length: 4300 mm
- Width: 2700 mm
- Height: 1200 mm / 1400mm
- Weight: 8.1 kg
- Pack Size:
   630 x 230 x 240 mm

Ref. No. 9120000235





#### Weathershield™ 63D

Featherweight 63D polyester offers great value and advanced protection against the elements



#### **Mesh Door**

A large, zipped mesh panel behind the right-hand side door adds comfort in hot weather



#### **Fibreglass Frame**

purable floregiass poles are simple to set up and greatly reduce the net weight of the tent.

## **Brighton**

### **Explore with ease**





This compact tent is packed full of features: adjustable pegging points, tough fibreglass poles and weather protected rear ventilation. Ensure your comfort while exploring the outdoors.



#### **Brighton 2**

Poled Tent

Length: 2600 mmWidth: 1600 mm

• Height: 980 mm / 1200mm

• Weight: 3.9 kg

• Pack Size: 610 x 130 x 160 mm

Ref. No. 9120000242







#### **Brighton 4**

Poled Tent


Length: 3000 mmWidth: 2400 mm

• Height: 1080 mm / 1300mm

• Weight: 5.1 kg

• Pack Size: 620 x 170 x 160 mm

Ref. No. 9120000238



### Brighton 3


Poled Tent

Length: 2850 mmWidth: 1800 mm

• Height: 980 mm / 1200mm

• Weight: 4.1 kg

• Pack Size: 610 x 130 x 160 mm



Ref. No. 9120000240



#### **Brighton 5**

Poled Tent


Length: 3800 mmWidth: 2900 mm

• Height: 1700 mm / 1950mm

• Weight: 8.2 kg

• Pack Size: 710 x 220 x 220 mm

Ref. No. 9120000236





#### Weathershield™ 63D

Featherweight 63D polyester offers great value and advanced protection against the elements




#### **Fibreglass Frame**

Durable fibreglass poles are simple to set up an greatly reduce the net weight of the tent



#### Sewn-In Groundsheet

The groundsheet is stitched to the inner tent for comfort and protection from inclement weather



## **AIR Shelter**

inflation points on the outside of the shelter. On the underside of the shelter, tensioning straps ensure a square shape is maintained whilst durable guylines and supplied pegs keep the shelter stable. Four side panels are included as standard for privacy and extra weather protection.







**AIR Shelter 200** Inflatable Shelter





**AIR Shelter 300** 





AIR Shelter 400





• Length: 2000 mm • Width: 2000 mm • Height: 2250 mm • Weight: 3.73 kg

• Pack Size: 650 x 280 x 230 mm

Ref. No. 9120002020



• Length: 3000 mm • Width: 3000 mm • Height: 2250 mm • Weight: 7.9 kg

• Pack Size: 680 x 290 x 260 mm

Ref. No. 9120001283

### Inflatable Shelter



• Weight: 9.47 kg

• Pack Size: 680 x 320 x 280 mm

Ref. No. 9120001284



## Shelter New



Add shelter to any outdoor occasion. With flexible fiberglass poles and lightweight 68D polyester material, the Kampa Shelter 300 is easy to set up, waterproof and packs down compactly too. Four side panels are included as standard for privacy and extra weather protection.

#### Shelter 300 Poled Shelter



• Length: 3000 mm • Width: 3000 mm • Height: 2250 mm • Weight: 3.79 kg

• Pack Size: 630 x 210 x 150 mm









#### Windbreak - Fog

Length: 5000 mmHeight: 1400 mmWeight: 2.74 kg

• Pack Size: 600 x 100 x 130 mm

Ref. No. 9120001285

#### Windbreak - Midnight

Length: 5000 mmHeight: 1400 mmWeight: 2.74 kg

• Pack Size: 600 x 100 x 130 mm

Ref. No. 9120001286

#### Windbreak - Fern

Length: 5000 mmHeight: 1400 mm

• Weight: 2.74 kg

• Pack Size: 600 x 100 x 130 mm

Ref. No. 9120001287

## **Toilet Tents**

#### **Loo-Loo** Toilet Tent



Length: 1200 mmWidth: 1200 mm

• Height: 2250 mm

• Weight: 2.2 kg

Pack Size:620 x 100 x 100 mm

Ref. No. 9120000838

### **Privvy**Toilet Tent



• Length: 1200 mm


• Width: 1200 mm

• Height: 1900 mm

• Weight: 2.78 kg

Pack Size:
 630 x 190 x 120 mm







## Tent Canopy New

### Upgrade your tent

Extend your camping tent and enjoy additional covered space on your pitch. These universal tent canopy's are compatible with Kampa poled and inflatable tents.



### **Tent Canopy 300** Universal

Width: 3000 mmDepth: 180 mm

Height: 2100 mmWeight: 5.69 kg

• Pack Size: 700 x 200 x 300 mm

Ref. No. 9120002017

### **Tent Canopy 400** Universal

Width: 4000 mmDepth: 180 mmHeight: 2200 mmWeight: 6.53 kg

• Pack Size: 700 x 200 x 360 mm

Ref. No. 9120002018



#### Multi-position porch door

Roll aside the multi-position front porch door for a seamless transition from outside to inside.



#### **Universal fitment**

Easily attach to Kampa tents with the adjustable webbing straps and elasticated canopy hem.



#### **Lightweight Frame**

DynaLite aluminum front uprights and DynaFlex roof poles reduce the carry weight without compromising performance.



# **Carpets and Flooring**

Fleece Carpet To Fit	Ref. No.
Cross	9120002001
Cross TG	9120002002
Action	9120002003
Trip	9120002004
Tailgater AIR	9120002005
Tailgater	9120002006
Studland 8	9120002007
Croyde 6	9120002008
Watergate 8	9120002009
Hayling 6	9120002010
Hayling 4/Touring	9120002011
Brean 4/Sprint	9120002012
Brean 3	9120002013

Footprint To Fit	Ref. No.
Cross	9120000132
Cross TG	9120000133
Action	9120000134
Trip	9120000135
Sprint Air	9120002000
Tailgater AIR	9120000142
Tailgater	9120000143
Studland 8	9120002014
Croyde 6	9120000223
Watergate 8	9120001270
Hayling 6	9120001271
Hayling 4/Touring	9120001272
Brean 4	9120001273
Brean 3	9120001274





## **Inner Tents**

Inner Tents To Fit	SKU
Action	9120001305
Tailgater AIR	9120001306
Tailgater	9120001249







#### **Chieftain Field Kitchen**

- Fabric: 600D PVC Polyester
- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Open Size (W x D x H mm): 850 x 500 x 1310
- Tabletop size: 850 x 500
- Pack size (L x W x H mm): 1055 x 140 x 550
- Loading capacity: 30 kg
- Weight: 14.82 kg

Ref. No. 9120001413

#### **Commander Field Kitchen**

- Fabric: Polyester
- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Size (W x D x H mm): 1210 x 490 x 800
- Tabletop size: 680 x 490
- Side table size (W x D mm): 590 x 415
- Pack size (L x W x H mm): 800 x 120 x 500
- Loading capacity: 30 kg
- Weight: 9.3 kg

Ref. No. 9120001414



#### **Universal Windshield**

- Frame: Powder coated steel
- Size (W x D x H mm): 620 x 330 x 210
- Pack size (L x W x H mm): 310 x 15 x 620
- Weight: 1 kg

Ref. No. 9120000482

## Explore the full range at kampaoutdoors.com



# **Stoves and Hobs**

#### **Fornello**

Double Hob & Grill

- Two high performance, fully adjustable 1.5kW burners
- Powerful 1.5kW grill
- Matchless ignition of hob burners
- Complete with grill pan
- Works from most gas cylinders with appropriate regulator
- Size: 205 x 205 x 75 mm
- Weight: 1.42kg

#### Requirements for operation:

- Butane or propane gas cylinder (not supplied)
- Gas regulator 28-30 mbar for butane / 37 mbar for propane
- Gas hose (BS3212:2) maximum length 1.5 metres

Ref. No. 9120001862





Portable Gas Stove

- Integrated ignition function no matches needed
- 2.2 kW extremely fast cast alloy burner
- Variable heating control of simmer until quick boil
- 2-stage double overpressure protection
- Stainless steel top cover for gas cartridge
- Works with widely used P220 self-closing Cartridges
- Protective carrying case included
- Size: 372 x 260 x 123 mm
- Weight: 1.75kg (2.8kg with carrying case)

Ref. No. 9120001863




#### Sizzle

Barbecue

- Automatic ignition no need for matches
- 2.3 kW / 160g/h extra high speed stainless steel burner for fast cooking and long life
- Built-in pressure safety device
- Removable drip tray easy to clean
  Operates with widely available P220 self sealing cartridge
- Up to 2½ hours cooking from one cartridge
- Protective carry case for clean storage and easy transport

• Size: 435 x 25 x 100 mm







#### **Tub Chair Eco**

MADE WITH RECYCLED MATERIALS

- Fabric: RPET
- Frame: Powder coated steel
- Size (W x D x H mm): 630 x 460 x 865
- Seat size (W x D x H mm): 435 x 420 x 450
- Backrest size (W x H mm): 475 x 440
- Pack size (L x W x H mm): 880 x 220 x 250
- Loading capacity: 120 kg
- Weight: 3.16 kg







Charcoal - 9120002053

Blue - 9120002053

Acer - 9120002053



#### **XL Tub Chair**

- Fabric: Polyester
- Frame: Powder coated steel
- Size (W x D x H mm): 740 x 600 x 800
- Seat size (W x D x H mm): 460 x 500 x 460
- Backrest size (W x H mm): 540 x 400
- Pack size (L x W x H mm): 925 x 680 x 325
- Loading capacity: 120 kg
- Weight: 5.1 kg

Ref. No. 9120002056

#### **Chief Chair**

- Fabric: Polyester
- Frame: Powder coated steel
- Size (W x D x H mm): 610 x 700 x 960
- Seat size (W x D x H mm): 560 x 440 x 500
- Backrest size (W x H mm): 550 x 480
- Pack size (L x W x H mm): 1100 x 240 x 285
- Loading capacity: 100 kg
- Weight: 5.3 kg

Ref. No. 9120002057

# New

#### **Chief Footstool**

- Fabric: Polyester
- Frame: Powder coated steel
- Size (W x D x H cm): 640 x 460 x 470
- Pack size (L x W x H cm): 660 x 160 x 350
- Loading capacity: 30 kg
- Weight: 3.5 kg

Ref. No. 9120002058






Midnight - 9120001416

Sunset - 9120001418

#### **Tub Chair**

- Fabric: Polyester
- Frame: Powder coated steel
- Size (W x D x H mm): 630 x 460 x 865
- Backrest size (W x H mm): 475 x 440
- Loading capacity: 120 kg
- Weight: 3.16 kg













• Fabric: Polyester

Fog - 9120001415

Fern - 9120001417

- Frame: Powder coated steel
- Size (W x D x H mm): 860 x 560 x 1070 Seat size (W x D x H mm): 620 x 540 x 470
- Backrest size (W x H mm): 650 x 620
- Pack size (L x W x H mm): 950 x 222 x 200
- Loading capacity: 120 kg
- Weight: 3.54 kg

#### **Sandy Low Chair**

• Fabric: Polvester

Fern - 9120001422

- Frame: Powder coated steel
- Size (W x D x H mm): 450 x 540 x 670
- Seat size (W x D x H mm): 520 x 400 x 220
- Backrest size (W x H mm): 520 x 595
- Pack size (L x W x H mm): 760 x 150 x 160
- Loading capacity: 100 kg
- Weight: 3 kg



Midnight - 9120001426



Fog - 9120001425



Sunset - 9120001428



Fern - 912000147



Ember - 9120001419



Unicorns - 9120000494



Woodland Creatures -9120000495



Animal Traffic -9120000495

#### Mini Tub Chair

- Fabric: Polyester
- Frame: Powder coated steel
- Size (W x D x H mm): 440 x 390 x 630
- Seat size (W x D x H mm): 340 x 355 x 330
- Backrest size (W x H mm): 380 x 355
- Pack size (L x W x H mm): 640 x 200 x 200
- Loading capacity: 60 kg
- Weight: 2.7 kg

Storage

#### Rosie

Cupboard

Width: 590 mmDepth: 480 mmHeight: 1040 mm

• Weight: 6.9 kg

• Pack Size: 550 x 80 x 410 mm

Ref. No. 9120001276



#### Susie

Cupboard

Width: 590 mmDepth: 480 mmHeight: 1400 mmWeight: 8.3 kg

• Pack Size: 680 x 80 x 410 mm

Ref. No. 9120001275



#### Tilly

Cupboard

Width: 605 mmDepth: 515 mmHeight: 660 mmWeight: 6.12 kg

• Pack Size: 610 x 110 x 520 mm

Ref. No. 9120000562



#### Amber

Cupboard

Width: 600 mmDepth: 505 mmHeight: 990 mmWeight: 5.8 kg

• Pack Size: 600 x 80 x 625 mm

Ref. No. 9120000563



#### Grace

Cupboard

Width: 600 mmDepth: 515 mmHeight: 1200 mmWeight: 6.9 kg

• Pack Size: 790 x 80 x 615 mm

Ref. No. 9120000564



#### Maddie

Wardrobe

Width: 900 mmDepth: 670 mmHeight: 1400 mmWeight: 10.48 kg

• Pack Size: 900 x 110 x 800 mm

Ref. No. 9120000566



#### Zara

Cupboard

• Width: 1100 mm

• Depth: 535 mm

• Height: 900 mm

• Weight: 10 kg

Pack Size:
 1100 x 120 x 570 mm

Ref. No. 9120000565





#### **Camping Low Table**

- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Table size: 600 x 400 x 270 mm
- Tabletop size:600 x 400 mm
- Pack size: 600 x 400 x 20 mm
- Loading capacity: 30 kg
- Weight: 2.1 kg

Ref. No. 9120001023

#### **Camping Side Table**

- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Table size: 600 x 400 x 450 mm
- Tabletop size: 600 x 400 mm
- Pack size: 600 x 400 x 40 mm
- Loading capacity: 30 kg
- Weight: 2.3 kg

Ref. No. 9120001024

#### **Camping Medium Table**

- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Table size:800 x 600 x 700 mm
- Tabletop size: 800 x 600 mm
- Pack size: 800 x 600 x 40 mm
- Loading capacity: 30 kg
- Weight: 3 kg

Ref. No. 9120001025







#### **Camping Large Table**

- Tabletop: Laminated fibreboard
- Frame: Powder coated steel
- Table size:1220 x 610 x 710 mm
- Tabletop size: 1220 x 610 mm
- Pack size: 1220 x 615 x 40 mm
- Loading capacity: 30 kg
- Weight: 4 kg

Ref. No. 9120001026

#### **Awning Table**

- Tabletop: Multi-ply plywood
- Frame: Aluminium
- Table size:1100 x 700 x 720 mm
- Tabletop size: 1100 x 700 mm
- Pack size: 1100 x 700 x 50 mm
- Loading capacity: 50 kg
- Weight: 6.42 kg

Ref. No. 9120000559

#### **Happy Table**

- Tabletop: Plastic
- Frame: Powder coated aluminium
- Table size: 1340 x 820 x 680 mm
- Tabletop size: 855 x 650 mm
- Pack size: 860 x 390 x 105 mm
- Loading capacity: 85 kg per seat
- Weight: 6.8 kg

Ref. No. 9120001028





Non-Slip



Non-Slip



#### Classic White

Non-Slip 12 Piece Set

- Dinner Plate 265 mm
- Side Plate 215 mm
- Bowls 156 x 55 mm

12pc Set: 9120000592 Dinner Plate: 9120000593 Side Plate: 9120000594 Bowl: 9120000595



Non-Slip 12 Piece Set

- Dinner Plate 265 mm
- Side Plate 215 mm
- Bowls 156 x 55 mm

12pc Set: 9120000597 Dinner Plate: 9120000598 Side Plate: 9120000599 Bowl: 9120000600

#### Aegean

12 Piece Set

- Dinner Plate 276 mm
- Side Plate 230 mm
- Bowls 190 x 52 mm

12pc Set: 9120000602 Dinner Plate: 9120000603 Side Plate: 9120000604 Bowl: 9120000605 Salad Bowl: 9120000607



#### Terracotta

12 Piece Set

- Dinner Plate 276 mm
- Side Plate 230 mm
- Bowls 190 x 52 mm

12pc Set: 9120000608 Dinner Plate: 9120000609 Side Plate: 9120000610 Bowl: 9120000611 Salad Bowl: 9120000613



#### Java

12 Piece Set

- Dinner Plate 276 mm
- Side Plate 230 mm
- Bowls 190 x 52 mm

12pc Set: 9120000620 Dinner Plate: 9120000621 Side Plate: 9120000622 Bowl: 9120000623 Salad Bowl: 9120000625



#### **Ebony**

12 Piece Set

- Dinner Plate 266 mm
- Side Plate 210 mm
- Bowls 157 x 55 mm

12pc Set: 9120001335 Dinner Plate: 9120000588 Side Plate: 9120000589 Bowl: 9120000590



# **Mug Sets**

Our 4-piece mug sets combine attractive colours and a unique to Kampa design. Constructed using ABS, these mugs feature a non slip base, are dishwasher safe and are rated to 90°C.

### Non-Slip Base



Rated to



Mist -

9120001346



Coffee -

9120001347



Charcoal -

9120001348



Fog -

9120001350

Sunset -

9120001353

Midnight -

9120001351

Ember -

9120001354











9120001355





Aqua - 9120001350

# **Acrylic Glassware**











2 x White Wine Glasses

• Capacity: 450ml (16 fl oz) Ref. No. 9120002065

### 2 x Tumblers

• Capacity: 350ml (12 fl oz)

Ref. No. 9120002068

**Tall Tumbler** 4 x Glasses

• Capacity: 420ml (14 fl oz)

Ref. No. 9120002073

**Beer Glass** 2 x Glasses

• Capacity: 660ml (23 fl oz)

Ref. No. 9120002064

**Explore the full range at** kampaoutdoors.com



Trucker Trolley

#### **Trucker Trolley**

Length: 900 mmWidth: 480 mmHeight: 550 mm

Ref. No. 9120001288



# Lighting

#### **Signal Headtorch**

- On/off switch
- White light
- 3 modes: Full brightness/Dimmed/ Flashing
- Size 55 x 35 x 40 mm

Blue - 9120001447

Acer - 9120001448

Sunrise - 9120001449

#### Flare Lantern

- 3 x super bright COB LED's
- Light collapses into base
- Turns on/off by opening and closing the light
- White light
- Requires 3 x AA batteries (not included)
- Size 87 x 87 x 247 mm







Blue - 9120001441

Acer - 9120001442

Sunrise - 9120001443

#### **SabreLink**

- Available as starter and add-on kits
- Up to three lights can link together
- Operated using a remote control
- Brightness can be adjusted
- Suitable for tents and awnings
- 30 and 48 super bright LED versions
- Complete with mains and 12V adaptor in starter kit (UK and EURO plug versions available)
- Carabiner clips and velcro included



3,00

30 LED: 9120000344 48 LED: 9120000346



# Sanitary

# Explore the full range at kampaoutdoors.com

#### **Geyser Hot Water System**

Enjoy the comfort of hot water on tap. This mobile hot water system will provide hot water through a tap or shower head. Ideal for camping, off-roading, dog shows, mobile catering, equine events, anywhere hot water is required!

- Hot water from the tap or showerhead
- Adjustable water temperature
- Heats to 25°C above input temperature (temperature rise). Water can be re-circulated for higher temperatures.
- Strong water flow 2.5 l per minute
- Automatic ignition system
- Built-in safety features
- Comes complete with a strong carry case
- Carrying handles
- Works from most popular gas cylinders with appropriate regulator (not supplied)
- Heats water 30°C to 55°C
- Complete with carry case
- 310 x 245 x 300 mm

Ref. No. 9120000829



#### King Khazi

- Removable waste container, easy to empty
- Compact when not in use
- Comes with toilet roll holder
- Size: 390 x 360 x 450 mm
- Maximum loading capacity: 150 Kg
- Weight: 2.45 kg

Ref. No. 9120000834



#### Portaflush 20

- 20 I waste holding tank
- Double sealed valve protects against leakage and odors
- Hygienic and easy to clean
- Heavy duty corrosion resistant quick-release side latches
- Easy to empty
- Size: 420 x 360 x 410 mm
- Loading Capacity: 200kg

Ref. No. 9120000836

#### **Blue Toilet Fluid**

1L: 9120000839 2.5L: 9120000840 5L: 9120000841



#### **Pink Toilet Fluid**

1L: 9120000842 2.5L: 9120000843 5L: 9120000844



#### **Green Toilet Fluid & Rinse**

1L: 9120000845 2.5L: 9120000846 5L: 9120000847





#### **Concentrated Cleaner - 1L Eco Pouch**

Ref. No. 9120000849

#### Black Streak Remover - 1L

Ref. No. 9120000852

#### **Awning & Tent Cleaner**

1L Refill Pouch: Ref. No. 9120000857 1L Bottle: Ref. No. 9120000858



#### **Waterless Wash**

1L Refill Pouch: Ref. No. 9120000850 1L Bottle: Ref. No. 9120000851



#### **Afterwash Protective Coating**

1L Refill Pouch: Ref. No. 9120000853 1L Bottle: Ref. No. 9120000854



#### **Interior All Purpose Cleaner**

1L Refill Pouch: Ref. No. 9120000855 1L Bottle: Ref. No. 9120000856



#### Awning & Tent PVC Cleaner

1L Refill Pouch:Ref. No. 9120000859 1L Bottle: Ref. No. 9120000860



#### Awning & Tent Protector

1L Refill Pouch:Ref. No. 9120001438 1L Bottle: Ref. No. 9120001439



### Drive-Away Awnings





		Touring AIR
lef.	LH: 9120001233 RH: 9120001232	LH: 9120001234 RH: 9120001235
Awning width (mm)	6100	6100
Awning depth (mm)	2800	2800
lighest point at front (mm)	2100	2100
Connection height (mm)	1800 - 2100	1800 - 2100
Pack size (L x W x H mm)	740 x 480 x 450	780 x 410 x 410
<b>Veight</b> (kg)	29.45	22.19
Material	Weathershield ™ TC	Weathershield ™ 68D
Cey features		
abreLink™ Flex ready	•	•
able entry point	•	•
Aulti Point Inflation	•	•
coll-to-side front panels	•	•
Blinds	•	•
Ooor in tunnel	•	•
icope of delivery		
nner tent	•	•
land pump	•	•
anopy pole	-	-
Connection guy lines	•	•
eg pack	•	•
arry bag	•	•
Optional extras		
Annexe	-	-
arpet	9120001267	9120001267
ootprint	9120001272	9120001272









Sprint AIR	Cross AIR	Cross AIR TG
9120001999	9120001236	9120001237
2800	3000	2700
1550	3000	2700
2000	2400	2400
1800 - 2100	1800 - 2100	1800 - 2100
720 x 320 x 300	760 x 350 x 350	760 x 350 x 350
12.08	16.15	15.2
Weathershield <sup>™</sup> 68D	Weathershield ™ 68D	Weathershield ™ 68D
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
_	_	_
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	9120001242	9120001242
9120002012	9120001267	9120001267
9120002000	9120001272	9120001272

#### Drive-Away Awnings





	Tailgater AIR	Tailgater
Ref.	9120001230	9120001231
Awning width (mm)	3050	2400
Awning depth (mm)	2150	2400
Highest point at front (mm)	-	-
Connection height (mm)	1600 - 2100	1600 - 2100
Pack size (L x W x H mm)	700 x 350 x 350	690 x 250 x 230
Weight (kg)	12.75	11.15
Material	Weathershield <sup>™</sup> 68D	Weathershield ™ 68D
Key features		
SabreLink™ Flex ready	•	-
Cable entry point	•	•
Multi Point Inflation	•	-
Roll-to-side front panels	•	•
Blinds	•	•
Door in tunnel	-	-
Scope of delivery		
Hand pump	•	-
Canopy pole	x 2	x 2
Pole set	-	•
Connection guy lines	•	•
Peg pack	•	•
Carry bag	•	•
Optional extras		
Fleece carpet	9120001247	9120001248
Inner tent	9120001306	9120001249
Footprint	9120000142	9120000143











Action AIR	Action	Trip AIR	Trip
9120001238	9120001240	9120001239	9120001241
2900	2900	2900	2900
2700	2700	1800	1800
2050	2050	2050	2050
1800 - 2100	1800 - 2100	1800 - 2100	1800 - 2100
680 x 360 x 340	720 x 300 x 270	720 x 320 x 320	700 x 240 x 240
14.83	13.01	11.75	9.95
Weathershield ™ 68D	Weathershield <sup>™</sup> 68D	Weathershield <sup>™</sup> 68D	Weathershield ™ 68D
•	-	•	_
•	•	•	•
•	-	•	-
•	•	•	•
•	•	•	•
•	•	•	•
•	_	•	_
•	•	_	-
-	•	_	•
•	•	•	•
•	•	•	•
•	•	•	•
9120001245	9120001245	9120001246	9120001246
9120001305	9120001305	-	-
9120000134	9120000134	9120000135	9120000135



#### **Annexe**

	Cross AIR Annexe	
Ref.	9120001242	
Product width (mm)	2400	
Product depth (mm)	1700	
Height at rear (mm)	1570	
Connection height (mm)	1700	
Pack size (L x W x H mm)	540 x 240 x 240	
Weight (kg)	4.64	
Material	Weathershield ™ 68D	
Scope of delivery		
Inner tent	•	
Peg pack	•	
Carry bag	•	



#### **Inner Tents**

	Action	Tailgater AIR	Tailgater
Ref.	9120001305	9120001306	9120001249
Product length (mm)	2000	1900	2200
Product width (mm)	1400	1300	1300
Product height (mm)	1850	2000	2100
Pack size (L x W x H mm)	610 x 130 x 55	380 x 400 x 60	380 x 380 x 60
Weight (kg)	1.59	1.21	1.35
Material	Breathable polyester	Breathable polyester	Breathable polyester
Scope of delivery			
Inner tent	•	•	•
Carry bag	•	•	•



# Inflatable camping tents







	Studiand 8 AIR	Croyde 6 AIR TC	Croyde 6 AIR
Ref.	9120002016	9120001250	9120001252
Tent length (mm)	8050	7400	7400
Tent width (mm)	4300	4100	4100
Tent height at front (mm)	2250	2100	2100
Tent height at rear (mm)	1800	1800	1800
Inner tent width (mm)	1300 / 1500 / 1300	1300 / 1300 / 1300	1300 / 1300 / 1300
Inner tent depth (mm)	2250	2100	2100
Inner tent height (mm)	2150	2000	2000
Side inner tent (W x D x H mm)	1300 x 2100 x 2150	-	-
Pack size (L x W x H mm)	850 x 480 x 460	820 x 560 x 500	850 x 460 x 460
Weight (kg)	34.2	37.23	29.11
Material	Weathershield <sup>™</sup> 68D	Weathershield™ TC	Weathershield™ 68D
Key features			
SabreLink™ Flex ready	•	•	•
Cable entry point	•	•	•
Multi Point Inflation	•	•	•
Flyscreen panels	x 2	x 2	x 2
Groundsheet	Sewn-in	Sewn-in	Sewn-in
Scope of delivery			
Inner tent	•	•	•
Hand pump	•	•	•
Side canopy pole	•	•	•
Peg pack	•	•	•
Carry bag	•	•	•
Optional extras			
Carpet	9120002007	9120001264	9120001264
Footprint	9120002014	9120000223	9120000223

# Inflatable camping tents







	Hayling 4 AIR TC	Hayling 4 AIR	Hayling 6 AIR
Ref.	9120001251	9120001254	9120001253
Tent length (mm)	6100	6100	6900
Tent width (mm)	2800	2800	3800
Tent height at front (mm)	2100	2100	2100
Tent height at rear (mm)	1800	1800	1800
Inner tent width (mm)	1300 / 1300	1300 / 1300	1800 / 1800
Inner tent depth (mm)	2100	2100	2100
Inner tent height (mm)	2000	2000	2000
Side inner tent (W x D x H mm)	-	-	-
Pack size (L x W x H mm)	740 x 480 x 430	740 x 480 x 430	800 x 440 x 440
Weight (kg)	25.38	19.69	25.18
Material	Weathershield™ TC	Weathershield™ 68D	Weathershield™ 68D
Key features			
SabreLink™ Flex ready	•	•	•
Cable entry point	•	•	•
Multi Point Inflation	•	•	•
Flyscreen panels	x 2	x 2	x 2
Groundsheet	Sewn-in	Sewn-in	Sewn-in
Scope of delivery			
Inner tent	•	•	•
Hand pump	•	•	•
Side canopy pole	-	-	-
Peg pack	•	•	•
Carry bag	•	•	•
Optional extras			
Carpet	9120001267	9120001267	9120001266
Footprint	9120001272	9120001272	9120001271









Brean 4 AIR TC	Brean 3 AIR	Brean 4 AIR
9120002015	9120001256	9120001255
3750	3650	3750
2800	2150	2800
2000	1900	2000
1650	1550	1650
1300 / 1300	1950	1300 / 1300
2100	2100	2100
1900	1800	1900
-	-	-
720 x 4370 x 350	760 x 340 x 340	760 x 350 x 350
20	13.78	15.68
Weathershield™ TC	Weathershield™ 68D	Weathershield™ 68D
•	•	•
•	•	•
•	•	•
x1	x1	x 1
Sewn-in	Sewn-in	Sewn-in
•	•	•
•	•	•
-	-	-
•	•	•
•	•	•
9120001268	9120001269	9120001268
9120001273	9120001274	9120001273

# Poled camping tents





	Croyde 6	Watergate 8
Ref.	9120001257	9120001258
Tent length (mm)	7400	7000
Tent width (mm)	4100	2800
Tent height at front (mm)	2100	2000
Tent height at rear (mm)	1800	1700
Inner tent width (mm)	1300 / 1300 / 1300	1300 / 1300 / 1300 / 1300
Inner tent depth (mm)	2100	2100
Inner tent height (mm)	2000	1900
Pack size (L x W x H mm)	760 x 370 x 370	76 x 35 x 35
Weight (kg)	30.03	22.57
Material	Weathershield™ 68D	Weathershield <sup>™</sup> 68D
Key features		
Cable entry point	•	•
Flyscreen panels	x 2	x 2
Groundsheet	Sewn-in	Sewn-in
Scope of delivery		
Inner tent	•	•
Side canopy pole	•	•
Pole set	•	•
Peg pack	•	•
Carry bag	•	•
Optional extras		
Canopy	-	9120001263
Carpet	9120001264	9120001265
Footprint	9120000223	9120001270











Hayling 4	Hayling 6	Brean 3	Brean 4
9120001260	9120001259	9120001262	9120001261
6100	6900	3650	3750
2800	3800	2150	2800
2100	2100	1900	2000
1800	1800	1550	1650
1300 / 1300	1800 / 1800	1950	1300 / 1300
2100	2100	2100	2100
2000	2000	1800	1900
720 x 310 x 310	760 x 350 x 350	690 x 270 x 250	690 x 290 x 270
17.6	22.55	11.75	14.378
Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D
•	•	•	•
x 2	x 2	x1	x1
Sewn-in	Sewn-in	Sewn-in	Sewn-in
•	•	•	•
_	_	_	_
•	•	•	•
•	•	•	•
•	•	•	•
-	-	-	-
9120001267	9120001266	9120001269	9120001268
9120001272	9120001271	9120001274	9120001273

## Poled camping tents





	Mersea 3	Mersea 4
Ref.	9120000234	9120000235
Tent length (mm)	4300	4300
Tent width (mm)	2300	2700
Tent height at front (mm)	1250	1400
Tent height at rear (mm)	1100	1200
Inner tent width (mm)	2100	2500
Inner tent depth (mm)	2100	2100
Inner tent height (mm)	1150	1250
Pack size (L x W x H mm)	630 x 230 x 220	630 x 230 x 240
Weight (kg)	7.15	8.1
Material	Weathershield™ 63D	Weathershield™ 63D
Key features		
Cable entry point	•	•
Flyscreen panels	x1	x1
Groundsheet	Sewn to inner	Sewn to inner
Scope of delivery		
Inner tent	•	•
Pole set	•	•
Peg pack	•	•
Carry bag	•	•











Brighton 2	Brighton 3	Brighton 4	Brighton 5
9120000242	9120000240	9120000238	9120000236
2600	2850	3000	3800
1600	1800	2400	2900
980	980	1080	1700
1200	1200	1300	1950
1500	1700	2300	2800
1950	2050	2050	2050
1150	1150	1150	1250
610 x 130 x 160	610 x 130 x 160	620 x 170 x 160	710 x 220 x 220
3.9	4.1	5.1	8.2
Weathershield™ 63D	Weathershield™ 63D	Weathershield™ 63D	Weathershield <sup>™</sup> 63D
•	•	•	•
-	-	-	-
Sewn to inner	Sewn to inner	Sewn to inner	Sewn to inner
• (with groundsheet)	• (with groundsheet)	• (with groundsheet)	• (with groundsheet)
•	•	•	•
•	•	•	•
•	•	•	•

